

## **Essential Fish Habitat Designation and Description for Pacific Coast Groundfish Fishery**

(Source: Pacific Fishery Management Council. 1998. Final Environmental Assessment/Regulatory Impact Review for Amendment 11 to The Pacific Coast Groundfish Fishery Management Plan.)

### EFH Designation

EFH, for the fishery management unit as a whole, is identified as the entire Exclusive Economic Zone (EEZ) and marine coastal waters inshore of the EEZ. For simplicity, EFH is described as seven composite habitats. Available life history information and habitat descriptions (for each individual species covered by the fishery management plan) will be compiled into a reference document and made available on request. Potential nonfishing effects are identified and described, along with recommendations and consultation procedures. No regulations are proposed at this time.

### Composite Essential Fish Habitat Identification

The 83 groundfish species managed by this FMP occur throughout the EEZ and occupy diverse habitats at all stages in their life histories. Some species are widely dispersed during certain life stages, particularly those with pelagic eggs and larvae; the EFH for these species/stages is correspondingly large. On the other hand, the EFH of some species/stages may be comparatively small, such as that of adults of many nearshore rockfishes which show strong affinities to a particular location or type of substrate. As a consequence of the large number of species and their diverse habitat associations, the entire EEZ becomes EFH when all the individual EFHs are taken together.

EFH for Pacific coast groundfish is defined as the aquatic habitat necessary to allow for groundfish production to support long-term sustainable fisheries for groundfish and for groundfish contributions to a healthy ecosystem. Descriptions of groundfish fishery EFH for each of the 83 species and their life stages result in over 400 EFH identifications. When these EFHs are taken together, the groundfish fishery EFH includes all waters from the mean higher high water line, and the upriver extent of saltwater intrusion in river mouths, along the coasts of Washington, Oregon, and California seaward to the boundary of the U.S. EEZ.

This fishery management plan (FMP) groups the various EFH descriptions into seven units called “composite” EFHs. This approach focuses on ecological relationships among species and between the species and their habitat, reflecting an ecosystem approach in defining EFH. Seven major habitat types are proposed as the basis for such assemblages or “composites”. These major habitat types are readily recognizable by those who potentially may be required to consult about impacts to EFH, and their distributions are relatively stationary and measurable over time and space.

The seven “composite” EFH identifications are as follows.

1. Estuarine - Those waters, substrates and associated biological communities within bays and estuaries of the EEZ, from mean higher high water level (MHHW, which is the high tide line) or extent of upriver saltwater intrusion to the respective outer boundaries for each bay or estuary as defined in 33 CFR 80.1 (Coast Guard lines of demarcation).
2. Rocky Shelf - Those waters, substrates, and associated biological communities living on or within ten meters (5.5 fathoms) overlying rocky areas, including reefs, pinnacles, boulders and cobble, along the continental shelf, excluding canyons, from the high tide line MHHW to the shelf break (~200 meters or 109 fathoms).

3. Nonrocky Shelf - Those waters, substrates, and associated biological communities living on or within ten meters (5.5 fathoms) overlying the substrates of the continental shelf, excluding the rocky shelf and canyon composites, from the high tide line MHHW to the shelf break (~200 meters or 109 fathoms).
4. Canyon - Those waters, substrates, and associated biological communities living within submarine canyons, including the walls, beds, seafloor, and any outcrops or landslide morphology, such as slump scarps and debris fields.
5. Continental Slope/Basin - Those waters, substrates, and biological communities living on or within 20 meters (11 fathoms) overlying the substrates of the continental slope and basin below the shelf break (~200 meters or 109 fathoms) and extending to the westward boundary of the EEZ.
6. Neritic Zone - Those waters and biological communities living in the water column more than ten meters (5.5 fathoms) above the continental shelf.
7. Oceanic Zone - Those waters and biological communities living in the water column more than 20 meters (11 fathoms) above the continental slope and abyssal plain, extending to the westward boundary of the EEZ.